



Model	10i	20i	30i	40i
Revisie	6.2	6.4	6.4	6.4
Art.code	10IREV62	20IREV64	30IREV64	40IREV64
Behuizing	MiniTower, Micro-ATX	MiniTower, Micro-ATX	MiniTower, Micro-ATX	MiniTower, Micro-ATX
Voeding	450 Watt	450 Watt	450 Watt	450 Watt
Chipset	Intel H310	Intel H310	Intel H310	Intel H310
CPU	Intel Pentium G5400 3.70GHz	Intel Core i3-8100 3.6GHz 2C/4T Gen8	Intel Core i5-8400 2.8GHz 6C/6T Gen8	Intel Core i7-8700 3.2GHz 8MB 6C/12T Gen8
Geheugen	4GB DDR4-2400	4GB DDR4-2400	8GB DDR4-2400	16GB DDR4-2400
Video	1x VGA poort, 1x HDMI poort, 1x DVI-D	1x VGA poort, 1x HDMI poort, 1x DVI-D	1x VGA poort, 1x HDMI poort, 1x DVI-D	1x VGA poort, 1x HDMI poort, 1x DVI-D
M.2 slot	-	-	-	-
HDD/SSD	HDD 1 TB Sata3	SSD 240GB	SSD 240GB	SSD 240GB
DVD	24speed DVD/RW	24speed DVD/RW	24speed DVD/RW	24speed DVD/RW
LAN	RJ-45 10/100/1000Base-T	RJ-45 10/100/1000Base-T	RJ-45 10/100/1000Base-T	RJ-45 10/100/1000Base-T
I/O poorten	4xSATA3, 1xRJ-45, 4xUSB3.1, 6xUSB2.0, 3xAudio jacks, 1xVGA, 1xHDMI, 1xDVI-D	4xSATA3, 1xRJ-45, 4xUSB3.1, 6xUSB2.0, 3xAudio jacks, 1xVGA, 1xHDMI, 1xDVI-D	4xSATA3, 1xRJ-45, 4xUSB3.1, 6xUSB2.0, 3xAudio jacks, 1xVGA, 1xHDMI, 1xDVI-D	4xSATA3, 1xRJ-45, 4xUSB3.1, 6xUSB2.0, 3xAudio jacks, 1xVGA, 1xHDMI, 1xDVI-D
Afm.(HxWxD)	350x202x420 mm	350x202x420 mm	350x202x420 mm	350x202x420 mm
Prijs 7e Gen. €			495,00	687,00
Prijs 8e Gen. €	337,00	407,00	547,00	737,00



Model	10w	20w	60w	62w
Revisie	6.5	6.4	1.0	1.0
Art.code	10WREV65	20WREV64	60WREV10	62WREV10
Behuizing	MiniTower, Micro-ATX	Tower, ATX (Business)	Mini-ITX	Mini 1U
Voeding	450 Watt	650 Watt	60 Watt adapter	60 Watt adapter
Chipset	Intel H310	Intel C236 (Supermicro X11)	Intel N3700 (Supermicro)	System on Chip
CPU	Intel Core i7-8700 3.2GHz 8MB 6C/12T Gen8	Intel Xeon E3-1270v6 3.8GHz QC 72W	Intel Pentium N3700, 4C/4T, 2.4GHz, 2MB cache, 6 Watt	Intel Xeon D-1528, 2.2GHz, 9MB Cache 6C/12T
Geheugen	16GB DDR4-2400	16GB DDR4-2400 ECC Certif.	8GB Sodimm Certif. By SM	8GB DDR4-2400 ECC-Reg
Video	Nvidia Quadro P2000 (1024 cores) 5GB GDDR5 PCI-e 3.0 x16 4xDisplayPort(1.4)	Nvidia Quadro P2000 (1024 cores) 5GB GDDR5 PCI-e 3.0 x16 4xDisplayPort(1.4)	Aspeed AST2400 BMC, Intel® HD Graphics for Intel®	Aspeed AST2400 Intel HD Graphics (HDMI version 1.4b, DisplayPort 1.1a)
HDD/SSD	SSD 500GB	SSD 500GB	SSD 240GB	SSD 512GB M.2 NVMe
DVD	24speed DVD/RW	24speed DVD/RW	-	-
LAN	RJ-45 10/100/1000Base-T	RJ-45 10/100/1000Base-T	4x RJ-45 GbE, 1x RJ-45 Dedicated IPMI	2xRJ-45 10Gbe, 2xRJ-45 GbE, 1x RJ-45 Dedicated IPMI
M.2 Slot		1x M.2 PCI-E 3.0 x4		1x M.2 PCI-E 3.0 x4
I/O poorten	4xSATA3, 1xRJ-45, 4xUSB3.1, 6xUSB2.0, 3xAudio jacks, 1xVGA, 1xHDMI, 1xDVI-D	8x SATA3 (6Gbps) via C236; RAID 0, 1, 5, 10, 1xVGA, 2xCOM, TPM Header, 6x USB 3.0, 6x USB 2.0, 2x USB 3.1	2x SATA3 (6Gbps) ports, 2x USB 3.0 ports (rear), 2x USB 2.0 ports (rear), 1x Display Port, 1x HDMI, 1x VGA, 1xTPM 1.2 header, 1xCOM	6x SATA3 (6Gbps) ports, 2x USB 3.0 ports (rear), 1x VGA port, 1x SuperDOM (Disk on Module) power connector, 1x TPM 2.0 header, 2x USB 3.0 ports
Afm.(HxWxD)	350x202x420 mm	462x232x531 mm	44.5x195x195 mm	43x193x226 mm
Prijs €	1.195,00	1.497,00	509,00	1.157,00



Model	10st	20st	30st
Revisie	1.0	1.0	1.0
Art.code	10STREV10	20STREV10	30STREV10
Behuizing	Server Tower, 4x HotSwap	Server Tower, 4x HotSwap	Server Tower, 8x HotSwap
Voeding	500 Watt	500 Watt	865 Watt
Rack optie	-	-	Ja; Rails: CSE-PT26L-(B)
Chipset	Intel C232	Intel C232	Intel C612
SATA	6x SATA3; Raid 0,1,5,10	6x SATA3; Raid 0,1,5,10	10x SATA3; Raid 0,1,5,10
IPMI	Aspeed AST2400 BMC	Aspeed AST2400 BMC	Aspeed AST2400 BMC
CPU	Intel Xeon E3-1220v6, 3.0GHz 8MB QC no HT	Intel Xeon E3-1230v6, 3.5GHz 8MB QC	Intel Xeon Silver 4110 2.1 GHz 11MB 8C 9.6GT
Geheugen	8GB DDR4-2400 ECC .	16GB DDR4-2400 ECC.	32GB DDR4-2666 ECC. Reg.
Video	Aspeed AST2400 BMC	Aspeed AST2400 BMC	Aspeed AST2400 BMC
HDD/SSD	-	-	-
DVD	DVD/RW	DVD/RW	DVD/RW
LAN	2x Intel® 1 GbE I210-AT	2x Intel® 1 GbE I210-AT	2x Intel 1 GbE i350-AM2
I/O poorten	6x USB 2.0, 5x USB 3.0 1x VGA, 1x COM poort 1x TPM header	6x USB 2.0, 5x USB 3.0 1x VGA, 1x COM poort 1x TPM header	5x USB 3.0, 8x USB 2.0 1x VGA, 2x COM poort, TPM M.2 NGFF connector
PCI-E	1x PCI-E 3.0 x8 (in x16 slot) 1x PCI-E 3.0 x8 1x PCI-E 3.0 x4 (in x8 slot)	1x PCI-E 3.0 x8 (in x16 slot) 1x PCI-E 3.0 x8 1x PCI-E 3.0 x4 (in x8 slot)	2x PCI-E 3.0 x8 slot(in x8 slot) 1x PCI-E 3.0 x8 1x PCI-E 3.0 x4 (in x8 slot)
RAID HW/SW	-	SW SAS3 12Gb/s 4-poorts	HW SAS3 12Gb/s 8-poorts
Afm.(HxWxD)	426x178x531 mm	426x178x531 mm	452x178x647 mm
Prijs €	837,00	1.177,00	2.407,00



	10sr	20sr	24sr	30sr
Revisie	1.0	2.0	1.0	1.0
Art.code	10SRREV10	20SRREV20	24SRREV10	30SRREV10
Behuizing	RackServer 1U, 4x HotSwap	RackServer 2U, 12x HotSwap	RackServer 2U, 24x HotSwap	RackServer 3U, 16x HotSwap
				Expander
Voeding	350 Watt	920 Watt Redundant	920 Watt Redundant	1200 Watt Redundant
Chipset	Intel® C236 chipset	Intel C612	Intel® C624	Intel® C624
SATA	8x SATA3; Raid 0,1,5,10	10x SATA3; Raid 0,1,5,10	Sata3; Raid 0,1,5,10	Sata3; Raid 0,1,5,10
IPMI	Aspeed AST2400 BMC	Aspeed AST2500 BMC	ASPEED AST2500	ASPEED AST2500
CPU	Intel Xeon E3-1240v6 3.7Ghz 8MB QC 72W	Intel Xeon Bronze 3106 8C 1.7Ghz 11MB 9.6GT	2x Intel Xeon Silver 4108 8C 1.8Ghz 11MB 9.6GT U0	2x Intel Xeon Silver 4108 8C 1.8Ghz 11MB 9.6GT U0
Geheugen	16GB DDR4-2400 ECC-Reg.	32GB DDR4-2666 ECC-Reg.	64GB DDR4-2666 ECC-Reg	64GB DDR4-2666 ECC-Reg
Video	Aspeed AST2400 BMC	Aspeed AST2400 BMC	ASPEED AST2500	ASPEED AST2500
HDD/SSD	-	-	-	-
DVD	-	-	-	-
LAN	2x Intel® 1 GbE i210-AT	2x Intel 1 GbE i210-AM2	2x 10GBase-T Intel® X557	2x 10GBase-T Intel® X557
I/O poorten	6x USB 3.0, 5x USB 3.0 1x VGA, 2x COM poort 1x TPM header 2x SuperDOM	5x USB 3.0, 8x USB 2.0 1x VGA, 2x COM poort, TPM M.2 NGFF connector	7x USB 3.0 1x VGA, 2x COM poort 1x TPM header M.2 Interface: 2 PCI-E 3.0 x4	7x USB 3.0 1x VGA, 2x COM poort 1x TPM header M.2 Interface: 2 PCI-E 3.0 x4
PCI-E	1x PCI-E 3.0 x8 (in x16 slot) 1x PCI-E 3.0 x8 1x PCI-E 3.0 x4 (in x8 slot)	1x PCI-E 3.0 x16 slot 1x PCI-E 3.0 x8 1x PCI-E 3.0 x4 (in x8 slot)	3 PCI-E 3.0 x16 4 PCI-E 3.0 x8	3 PCI-E 3.0 x16 4 PCI-E 3.0 x8
RAID HW/SW	-	HW SAS3 12Gb/s 4-poorts SAS3 Raid 0,1,5,6,10,50,60	HW SAS3 12Gb/s 4-poorts SAS3 Raid 0,1,5,6,10,50,60	HW SAS3 12Gb/s 4-poorts Raid 0,1,5,6,10,50,60
Extra tbv OS	-	Rear 2x2.5 Hot-swap HDD	Rear 2x2.5 Hot-swap HDD	Rear 2x2.5 Hot-swap HDD
BIOS Lic.	-	License-BIOS Flash/Setting	License-BIOS Flash/Setting	License-BIOS Flash/Setting
Afm.(HxWxD)	43x437x503 mm	89x437x648 mm	89x437x630 mm	132x437x647 mm
Prijs €	1.095,00	2.497,00	4.247,00	4.297,00

Operating systems / Peripherals / Add-ons

Product	Aanvullende informatie			Dealer prijs	Adviesprijs
					Excl. BTW
Microsoft Windows 10 Home	64 bit	Nederlands	Original Equipment Manufacturer (OEM)	95	110
Microsoft Windows 10 Professional	64 bit	Nederlands	Original Equipment Manufacturer (OEM)	135	165
Cardreader	internal 3,5"	(m)SD, CF, MS, MMC, xD	Original Equipment Manufacturer (OEM)	9	19
Logitech keyboard	USB	QWERTY	Original Equipment Manufacturer (OEM)	12	19
Logitech mouse	USB	3 button / wheel	Original Equipment Manufacturer (OEM)	9	15

*Prijzen en specificaties kunnen zonder aankondiging veranderd worden.
Prijzen- en/of drukfouten zijn voorbehouden.*

Copyright © 2017 boXXed. Alle rechten voorbehouden